

References

- Apollonio, D.E. & Bero, L.A. (2009) Evidence and argument in policymaking: development of workplace smoking legislation. *BMC Public Health*, 9, 189.
- Azagba, S. (2015) Effect of smoke-free patio policy of restaurants and bars on exposure to second-hand smoke. *Prev Med*, 76, 74-8.
- American Lung Association (2015). State of Tobacco Control Available at: <http://www.stateoftobaccocontrol.org/state-grades/georgia/highlights.html> [Accessed on May 15, 2015].
- Bar, C.D., Diez, D.M., Wang, Y., et al. (2012) Comprehensive smoking bans and acute myocardial infarction among Medicare enrollees in 387 US counties: 1999-2008. *Am J Epidemiol*, 176, 642-8, Epub 2012 Sep 17.
- Been, J.V., Nurmatov, U.B., Cox, B., et al. (2014) Effect of smoke-free legislation on perinatal and child health: a systematic review and meta-analysis. *Lancet*, 383, 1549-60.
- Callinan, J.E., Clarke, A., Doherty, K., Kelleher, C. (2010) Legislative smoking bans for reducing secondhand smoke exposure, smoking prevalence and tobacco consumption. *Cochrane Database Syst Rev*, 14, CD005992. doi: 10.1002/14651858.CD005992.pub2.
- Department of Health and Human Services (2014). The Health Consequences of Smoking—50 Years of Progress: A Report of the Surgeon General, 2014. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.
- Department of Health and Human Services (2010). How Tobacco Smoke Causes Disease: The Biology and Behavioral Basis for Smoking-Attributable Disease: A Report of the Surgeon General. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.
- Department of Health and Human Services (2006). The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General. Rockville, MD: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, Coordinating Center for Health Promotion, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.
- Duffy, S.A., Louzon, S.A., Gritz, E.R. (2012) Why do cancer patients smoke and what can providers do about it? *Community Oncol*, 9, 344-52.
- Environmental Protection Agency (November 30, 2011). Health Effects of Exposure to Secondhand Smoke. Available at: <http://www.epa.gov/smokefree/healththeeffects.html> [Accessed May 15, 2015].
- Fiore, M.C., Jaen, C.R., Baker, T.B., et al. (2009) Treating tobacco use and dependence: 2008 update. Clinical Practice Guideline. Rockville, MD: U.S. Department of Health and Human Services, Public Health Service.
- Fong, G.T., Hyland, A., Borland, R, et al. (2006) Reductions in tobacco smoke pollution and increases in support for smoke-free public places following the implementation of comprehensive smoke-free workplace legislation in the Republic of Ireland: findings from the ITC Ireland/UK Survey. *Tob Control*, Suppl 3, iii51-8.
- Fong, G.T., Craig, L.V., Guignard, R, et al. (2013) Evaluation of the smoking ban in public places in France one year and five years after its implementation: Findings from the ITC France survey. *Bull Epidemiol Hebd (Paris)*, 20, 217-23.
- Georgia Department of Public Health (2012). Savannah Smoke-Free Ordinance Improves Indoor Air Quality. Available at: <http://www.dph.georgia.gov/blog/2013-09-05/savannah-smoke-free-ordinance-improves-indoor-air-quality> [Accessed May 27, 2015].
- Gritz, E.R., Fingeret, M.C., Vidrine, D.J., et al. (2006) Successes and failures of the teachable moment. Smoking cessation in cancer patients. *Cancer*, 106, 17-27.
- Hillen, M.A., de Haes, H.C., Smets, E.M. (2011) Cancer patients' trust in their physician—a review. *Psychooncology*, 20, 227-41.
- Hyland, A., Barnoya, J. & Corral, J.E. (2012) Smoke-free air policies: past, present and future. *Tob Control*, 21, 154.
- Institute of Medicine (2010). Committee on Secondhand Smoke Exposure and Acute Coronary Events. *Secondhand Smoke Exposure and Cardiovascular Effects: Making Sense of the Evidence*. Washington, DC: National Academy of Science.
- International Agency for Research on Cancer (2012). *Second-hand Tobacco Smoke, and Smokeless Tobacco*. Lyon, France: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol. 100E.
- Jones, M.R., Barnova, J., Stranges, S., et al. (2014) Cardiovascular events following smoke-free legislations: an updated systematic review and meta-analysis. *Curr Environ Health Rep*, 1, 239-49.
- Max, W., Sung, H., & Shi, Y. (2012) Deaths from Secondhand Smoke Exposure in the United States: Economic Implications. *Am J Public Health*, 102, 2173-80.
- Moher, M., Hey, K., Lancaster, T. (2005) Workplace interventions for smoking cessation. *Cochrane Database Syst Rev*, 18, CD003440.
- Naiman, A.B., Glazier, R.H., Moineddin, R. (2011) Is there an impact of public smoking bans on self-reported smoking status and exposure to secondhand smoke? *BMC Public Health*, 11, 146.
- National Cancer Institute (2014). Harms of cigarette smoking and health benefits of quitting. Available at: <http://www.cancer.gov/cancertopics/causes-prevention/risk/tobacco/cessation-fact-sheet> [Accessed May 14, 2015].
- Pickett, M. S., Schober, S. E., Brody, D. J., et al. (2006) Smoke-free laws and secondhand smoke exposure in US non-smoking adults, 1999-2002. *Tob Control*, 15, 302.
- Repace, J. (2004) Respirable particles and carcinogens in the air of Delaware hospitality venues before and after a smoking ban. *J Occup Environ Med*, 46, 887-905.
- Repace, J.L., Hyde, J.N., Brugge, D. (2006) Air pollution in Boston bars before and after smoking ban. *BMC Public Health*, 6, 266.
- Semple, S., Maccalman, L., Naji, A.A., et al. (2007) Bar workers' exposure to second-hand smoke: the effect of Scottish smoke-free legislation on occupational exposure. *Ann Occup Hyg*, 51, 571-80.
- Semple, S., van Tongeren, M., Galea, K.S., et al. (2010) UK smoke-free legislation: changes in PM2.5 concentrations in bars in Scotland, England, and Wales. *Ann Occup Hyg*, 54, 272-80.
- Tan, C.E., Glantz, S.A. (2012) Association between smoke-free legislation and hospitalizations for cardiac, cerebrovascular, and respiratory diseases: a meta-analysis. *Circulation*, 126, 2177-83.